



PRICELIST 2023

INDUSTRIAL PLUGS AND SOCKETS


VN




CEE receptacles

	Protection type	Rating Amp.	No. of poles	230 V 50 and 60 Hz	400 V 50 and 60 Hz	Price in VND before VAT
				Part no.	Part no.	
 CEE wall mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, top entry 63 A: X-CONTACT with screw terminals, top and bottom entry	IP44	16	2+E	1341		232,000
	IP44	16	3+E		1343	223,000
	IP44	16	3+N+E		31	272,000
	IP44	32	2+E	1346		301,000
	IP44	32	3+E		1348	306,000
	IP44	32	3+N+E		32	367,000
	IP44	63	2+E	1137A		1,055,000
	IP44	63	3+E		1141A	1,062,000
	IP44	63	3+N+E		1145A	1,175,000
 CEE wall mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, top entry 63 A - 125 A: X-CONTACT with screw terminals, top and bottom entry	IP67	16	2+E	9105		423,000
	IP67	16	3+E		9122	476,000
	IP67	16	3+N+E		9142	563,000
	IP67	32	2+E	9151		591,000
	IP67	32	3+E		9172	601,000
	IP67	32	3+N+E		9182	714,000
	IP67	63	2+E	128A		1,654,000
	IP67	63	3+E		132A	1,666,000
	IP67	63	3+N+E		136A	1,814,000
 CEE wall mounted receptacles X-CONTACT, top and bottom entry	IP67	125	2+E	24464		6,197,000
	IP67	125	3+E		139	5,666,000
	IP67	125	3+N+E		143	5,822,000
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, 20° inclination 63 A: X-CONTACT, with screw terminals, 20° inclination	IP44	16	2+E	1632		180,000
	IP44	16	3+E		1638	219,000
	IP44	16	3+N+E		3473	240,000
	IP44	32	2+E	1734		260,000
	IP44	32	3+E		1740	281,000
	IP44	32	3+N+E		1746	303,000
	IP44	63	2+E	1147A		899,000
	IP44	63	3+E		1151A	897,000
	IP44	63	3+N+E		1155A	1,011,000
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, straight 63 A: X-CONTACT, with screw terminals, straight	IP44	16	2+E	1668		180,000
	IP44	16	3+E		1674	219,000
	IP44	16	3+N+E		3385	240,000
	IP44	32	2+E	1787		260,000
	IP44	32	3+E		1791	281,000
	IP44	32	3+N+E		1797	303,000
	IP44	63	2+E	1261A		899,000
	IP44	63	3+E		1248A	897,000
	IP44	63	3+N+E		1252A	1,011,000

CEE receptacles and plugs

	Protection type	Rating Amp.	No. of poles	230 V 50 and 60 Hz	400 V 50 and 60 Hz	Price in VND before VAT
				Part no.	Part no.	
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, 20° inclination 63 A: X-CONTACT, with screw terminals, 20° inclination	IP67	16	2+E	1701		270,000
	IP67	16	3+E		1704	320,000
	IP67	16	3+N+E		3485	396,000
	IP67	32	2+E	1802		387,000
	IP67	32	3+E		1805	398,000
	IP67	32	3+N+E		1808	478,000
	IP67	63	2+E	2180A		1,137,000
	IP67	63	3+E		205A	1,083,000
	IP67	63	3+N+E		209A	1,206,000
 CEE panel mounted receptacles X-CONTACT, 20° inclination	IP67	125	2+E	3575		4,260,000
	IP67	125	3+E		212A	3,852,000
	IP67	125	3+N+E		216A	4,147,000
 CEE panel mounted receptacles 16 A - 32 A: screwless, with TwinCONTACT, straight 63 A: X-CONTACT, with screw terminals, straight	IP67	16	2+E	1708		270,000
	IP67	16	3+E		1712	320,000
	IP67	16	3+N+E		1131	396,000
	IP67	32	2+E	1810		387,000
	IP67	32	3+E		1814	398,000
	IP67	32	3+N+E		1820	478,000
	IP67	63	2+E	1264A		1,137,000
	IP67	63	3+E		1124A	1,083,000
	IP67	63	3+N+E		1128A	1,206,000
 CEE panel mounted receptacles X-CONTACT, straight	IP67	125	2+E	3380		4,260,000
	IP67	125	3+E		1457	3,852,000
	IP67	125	3+N+E		1461	4,147,000
 16 A - 32 A: CEE plugs PowerTOP® Xtra with ErgoCONTACT 63 A: CEE plugs PowerTOP® Xtra R, highly heat resistant contact carrier, frame terminals, nickel-plated contacts	IP54	16	2+E	13502		131,000
	IP54	16	3+E		13506	156,000
	IP54	16	3+N+E		13510	171,000
	IP54	32	2+E	13513		201,000
	IP54	32	3+E		13516	232,000
	IP54	32	3+N+E		13520	280,000
	IP54	63	2+E	13102		1,279,000
	IP54	63	3+E		13106	1,311,000
	IP54	63	3+N+E		13112	1,357,000

CEE plugs and connectors

	Protection type	Rating Amp.	No. of poles	230 V 50 and 60 Hz	400 V 50 and 60 Hz	Price in VND before VAT
				Part no.	Part no.	
 CEE plugs AM-TOP with screw terminal and single part body	IP67	16	2+E	278		237,000
	IP67	16	3+E		282	289,000
	IP67	16	3+N+E		288	322,000
	IP67	32	2+E	290		352,000
	IP67	32	3+E		294	373,000
	IP67	32	3+N+E		300	529,000
 CEE plugs PowerTOP® Xtra R highly heat resistant contact carrier, frame terminals, nickel plated contacts	IP67	63	2+E	13202		1,787,000
	IP67	63	3+E		13206	1,716,000
	IP67	63	3+N+E		13212	1,849,000
	IP67	125	2+E	13216		4,789,000
	IP67	125	3+E		13219	4,845,000
	IP67	125	3+N+E		13225	5,090,000
 16 A - 32 A: CEE connectors with ErgoCONTACT 63 A: CEE connectors PowerTOP® Xtra R X-CONTACT, highly heat resistant contact carrier, frame terminals	IP54	16	2+E	14502		171,000
	IP54	16	3+E		14506	199,000
	IP54	16	3+N+E		14510	235,000
	IP54	32	2+E	14513		270,000
	IP54	32	3+E		14516	285,000
	IP54	32	3+N+E		14520	333,000
	IP54	63	2+E	14102		1,477,000
	IP54	63	3+E		14106	1,523,000
	IP54	63	3+N+E		14112	1,378,000
 16 A - 32 A: CEE connectors AM-TOP with screw terminal and single part body	IP67	16	2+E	540		281,000
	IP67	16	3+E		544	356,000
	IP67	16	3+N+E		550	441,000
	IP67	32	2+E	552		435,000
	IP67	32	3+E		556	445,000
	IP67	32	3+N+E		562	538,000
 CEE connectors PowerTOP® Xtra R X-CONTACT, highly heat resistant contact carrier, frame terminals	IP67	63	2+E	14202		1,935,000
	IP67	63	3+E		14206	1,967,000
	IP67	63	3+N+E		14212	2,109,000
	IP67	125	2+E	14216		5,254,000
	IP67	125	3+E		14219	5,490,000
	IP67	125	3+N+E		14225	5,722,000

CEE receptacles switched and interlocked

		Protection type	Rating Amp.	No. of poles	230 V 50 and 60 Hz	400 V 50 and 60 Hz	Price in VND before VAT
					Part no.	Part no.	
 	CEE wall mounted receptacles switched, with mechanical DUO-interlock 63 A: X-CONTACT * expected to be available from Q2	IP44	16	2+E	7002A (5601306G*)		3,202,000
		IP44	16	3+E		5100A (5601406G*)	3,269,000
		IP44	16	3+N+E		5103A (5601506G*)	3,333,000
		IP44	32	2+E	5696A (5603306G*)		3,742,000
		IP44	32	3+E		5105A (5603406G*)	3,815,000
		IP44	32	3+N+E		5108A (5603506G*)	3,916,000
		IP44	63	2+E	6571		7,098,000
		IP44	63	3+E		5956A	7,271,000
		IP44	63	3+N+E		5959A	7,444,000
 	CEE wall mounted receptacles switched, with mechanical DUO-interlock 63 A: X-CONTACT * expected to be available from Q2	IP67	16	2+E	7012A (5602306G*)		3,490,000
		IP67	16	3+E		5600A (5602406G*)	3,596,000
		IP67	16	3+N+E		5603A (5602506G*)	3,667,000
		IP67	32	2+E	5793A (5604306G*)		4,257,000
		IP67	32	3+E		5605A (5604406G*)	4,344,000
		IP67	32	3+N+E		5608A (5604506G*)	4,486,000
		IP67	63	2+E	5911A		7,704,000
		IP67	63	3+E		5110A	7,877,000
		IP67	63	3+N+E		5113A	8,050,000
	CEE wall mounted receptacles X-CONTACT, switched, with mechanical DUO-interlock	IP67	125	2+E	7000		26,660,000
		IP67	125	3+E		5691A	27,526,000
		IP67	125	3+N+E		5692A	28,824,000

SCHUKO® and grounding-type / CEE plugs and sockets for container and terminals

	Protection type	Rating Amp.	No. of poles	230 V 50 and 60 Hz	400 V 50 and 60 Hz	Price in VND before VAT
				Part no.	Part no.	
	IP54	16	2p+E	11010 grey		139,000
	IP54	16	2p+E	11011 blue		139,000
				10714 grey		137,000
				10715 blue		137,000
	IP44	16	2p+E	10081 grey		236,000
	IP44	16	2p+E	10082 blue		236,000
	IP44	16	2p+E	10749 grey		156,000
	IP44	16	2p+E	10838 blue		156,000
	IP44	16	2p+E	10751 grey		223,000
	IP44	16	2p+E	10843 blue		223,000

	Protection type	Rating Amp.	No. of poles	380 - 440 V 50 and 60 Hz	Price in VND before VAT
				Part no.	
	IP67	32	3+E	9562	912,000
	IP67	32	3+E	5792A (5704403G*)	5,341,000
				* expected to be available from Q2	
	IP67	32	3+E	2123A	654,000
	IP67	32	3+E	2175B	501,000
	IP67	32	3+E	2177A	644,000

AMAXX® receptacle combinations


Superb design. Dependable technology.

Variety of versions

- Protection type: IP44 and IP67 (comply to IEC 61439-3)
- Enclosure made of high-quality plastic or AMELAN in aggressive atmospheres with high resistance to chemicals as well as highly heat resistant contact carrier and nickel plated contacts
- Equipped with: CEE receptacles from 16 A, 3 p up to 63 A, 5 p, grounding-type receptacles in acc. with many national standards, DUO receptacles switched and interlocked from 16 A, 3 p up to 32 A, 5 p as well as fuse elements



Features and benefits



- Liftable DIN rails**
Liftable DIN rails and a large, smooth wiring space significantly ease the insertion as well as connection of large cables
- One-man installation**
Shorter installation times with the new, user-friendly external fixing
- Hinged cover**
The hinged cover, which opens to one side, eases connection work
- Ready for application**
All combinations are pre-wired for installation and tested for electric safety and quality



Generally angled insertion direction.



Especially fast opening and closing of the enclosure due to captive doublethreaded cover screws.



Both hands free because inspection windows fold downwards.



Window can be locked with a padlock, enclosure can be sealed.



MENNEKES Electric Singapore Pte. Ltd.

No. 3 International Business Park
03-28 Nordic European Centre
SINGAPORE 609927
SINGAPORE

Phone: + 84 8 38 104 561
Fax: + 84 8 38 104 561
info@MENNEKES.com.vn

www.MENNEKES.com

MENNEKES

Elektrotechnik GmbH & Co. KG

Aloys-Mennekes-Str. 1
57399 KIRCHHUNDEM
GERMANY

Phone: + 49 2723 41-1
Fax: + 49 2723 41-214
info@MENNEKES.de

www.MENNEKES.com



12/22PDF

Subject to modification.
No liability for misprints.

**Platzhalter FSC-
Logo**